Single Sided Crank Workstation


Instruction Manual

Table of Contents

Component parts	. 2
Assembly Instructions	. 3
Important Safety Instructions	0



Component parts




NO.	Component Name	PCS	NO.	Component Name	PCS
1	Leveling pads	4	9	Center rails	2
2	Table feet	2	10	Side brackets-2	1
3	Lifting column	2	11	Open spanner (6mm)	1
4	Bolt: M6x12	8	12	Open spanner (18mm)	1
5	Screw:ST4x16	14	13	Allen Wrench(4mm)	1
6	Side brackets-1	2	14	Allen Wrench(2mm)	1
7	Rubber pad	12	15	Longer aluminum pipe for 1800W tabletop	1
8	Top frame	2	16		1

Assembly Instructions

Step 1

Loosen the pre-installed bolts and Adjust the length of the top frame to match the size of the table top.


If the tabletop size 1200W, please use the Shorter aluminium pipe.




Step 2

Inset the lifting column to the top frame.


- First fix 4 pcs screws M6x12
- And then tighten the pre-installed



Step 3
Install the two table feet with Screws 8 pcs M6x16,
Install the 4 pcs leveling pads




Step 4
Install the two side brackets with Screws 4 pcs M6x12,



Step 5

Install the desk frame to the tabletop with ST4 * 16 screws, insert the transmission rod into the left and right lifting columns, and tighten with an open-ended wrench.

Fix the handle holder with 2 ST4 * 16 screws to the tabletop



B. Technical Specifications

Load Capacity: 80Kg(Dynamic)

Speed: 5mm/ per cycle

Adjust Height: 450mm


Min. Height: 675mm

Hand Crank Clockwise Rotation: Up
Hand Crank anticlockwise Rotation: Down

Add-On: Cable tray installation


Step 1

- Fix the cable tray to the cable tray arms with 8 pcs M6x10 screws.




Step 1

- Install the U brackets to the desk frame with 4 pcs M8x10 screws.
- Mount the cable tray to the desk frame and fix it with 6 pcs M6x10 screws




Add on : Screen panel installation

Step 1
- Insert the tapped plates to the screen panel



Step 2
- Install the brackets to the panel with 8 pcs M5x6 screws.



Step 3 - Fix the panel to the desk frame with 10 pcs M6x10 screws.

